## EROSION, SEDIMENTATION & POLLUTION CONTROL PLAN CHECKLIST STAND ALONE CONSTRUCTION PROJECTS

		SWCD:				
Project Name:		Address:				
City/Co	unty:	Date on Plans:				
Plan Page #	Included Y/N	TO BE SHOWN ON ES&PC PLAN				
		1 The applicable Erosion, Sedimentation and Pollution Control Plan Checklist established by the Commission as of January 1 of the year in which the land-disturbing activity was permitted. (The completed Checklist must be submitted with the ES&PC Plan or the Plan will not be reviewed)				
		2 Level II certification number issued by the Commission, signature and seal of the certified design professional. (Signature, seal and Level II number must be on each sheet pertaining to ES&PC plan or the Plan will not be reviewed)				
		3 Limits of disturbance shall be no greater than 50 acres at any one time without prior written authorization from the EPD District Office. If EPD approves the request to disturb 50 acres or more at any one time, the plan must include at least 4 of the BMPs listed in Appendix 1 of this checklist.*  (A copy of the written approval by EPD must be attached to the plan for the plan to be reviewed.)				
		4 The name and phone number of the 24-hour local contact responsible for erosion, sedimentation and pollution controls.				
		5 Provide the name, address and phone number of primary permittee.				
		6 Note total and disturbed acreage of the project or phase under construction.				
		7 Provide the GPS location of the construction exit for the site. Give the Latitude and Longitude in decimal degrees.				
		8 Initial date of the Plan and the dates of any revisions made to the Plan including the entity who requested the revisions.				
		9 Description of the nature of construction activity.				
		10 Provide vicinity map showing site's relation to surrounding areas. Include designation of specific phase, if necessary.				
		11 Identify the project receiving waters and describe all sensitive adjacent areas including streams, lakes, residential areas, wetlands, marshlands, etc. which may be affected.				
		12 Design professional's certification statement and signature that the site was visited prior to development of the ES&PC Plan as stated on page 15 of the permit.				
		13 Design professional's certification statement and signature that the permittee's ES&PC Plan provides for an appropriate and comprehensive system of BMPs and sampling to meet permit requirements as stated on page 15 of the permit.*				
		14 Clearly note the statement that "The design professional who prepared the ES&PC Plan is to inspect the installation of the initial sediment storage requirements and perimeter control BMPs within 7 days after installation."*				
		15 Clearly note the statement that "Non-exempt activities shall not be conducted within the 25 or 50-foot undisturbed stream buffers as measured from the point of wrested vegetation or within 25-feet of the coastal marshland buffer as measured from the Jurisdictional Determination Line without first acquiring the necessary variances and permits."				
		16 Provide a description of any buffer encroachments and indicate whether a buffer variance is required.				

	17 Clearly note the statement that "Amendments/revisions to the ES&PC Plan which have a significant effect on BMPs with a hydraulic component must be certified by the design professional."*
	18 Clearly note the statement that "Waste materials shall not be discharged to waters of the State, except as authorized by a section 404 permit."*
	19 Clearly note statement that "The escape of sediment from the site shall be prevented by the installation of erosion and sediment control measures and practices prior to land disturbing activities."
	20 Clearly note statement that "Erosion control measures will be maintained at all times. If full implementation of the approved plan does not provide for effective erosion control, additional erosion and sediment control measures shall be implemented to control or treat the sediment source."
	21 Clearly note the statement "Any disturbed area left exposed for a period greater than 14 days shall be stabilized with mulch or temporary seeding."
	22 Any construction activity which discharges storm water into an Impaired Stream Segment, or within 1 linear mile upstream of and within the same watershed as, any portion of an Biota Impaired Stream Segment must comply with Part III. C. of the Permit. Include the completed Appendix 1 listing all the BMPs that will be used for those areas of the site which discharge to the Impaired Stream Segment.*
	23 If a TMDL Implementation Plan for sediment has been finalized for the Impaired Stream Segment (identified in item 22 above) at least six months prior to submittal of NOI, the ES&PC Plan must address any site-specific conditions or requirements included in the TMDL Implementation Plan.*
	24 BMPs for concrete washdown of tools, concrete mixer chutes, hoppers and the rear of the vehicles. Washout of the drum at the construction site is prohibited.*
	25 Provide BMPs for the remediation of all petroleum spills and leaks.
	26 Description of the measures that will be installed during the construction process to control pollutants in storm water that will occur after construction operations have been completed.*
	27 Description of the practices that will be used to reduce the pollutants in storm water discharges.*
	28 Description and chart or timeline of the intended sequence of major activities which disturb soils for the major portions of the site (i.e., initial perimeter and sediment storage BMPs, clearing and grubbing activities, excavation activities, utility activities, temporary and final stabilization).
	29 Provide complete requirements of inspections and record keeping by the primary permittee.*
	30 Provide complete requirements of sampling frequency and reporting of sampling results.*
	31 Provide complete details for retention of records as per Part IV.F. of the permit.*
	32 Description of analytical methods to be used to collect and analyze the samples from each location.*
	33 Appendix B rationale for NTU values at all outfall sampling points where applicable.*
	34 Delineate all sampling locations, perennial and intermittent streams and other water bodies into which storm water is discharged.*
	35 A description of appropriate controls and measures that will be implemented at the construction site including: (1) initial sediment storage requirements and perimeter control BMPs, (2) intermediate grading and drainage BMPs, and (3) final BMPs. For construction sites where there will be no mass grading and the initial perimeter control BMPs, intermediate grading and drainage BMPs, and final BMPs are the same, the plan may combine all of the BMPs into a single phase.*
	36 Graphic scale and North arrow.
	37 Existing and proposed contour lines with contour lines drawn at an interval in accordance with the following:

	95. 256.0	Steep 8% +	2,5 or 10	
38	Use of alternative BMPs who	·	ocumented to be equivalent to	o or superior to
	conventional BMPs as certification	fied by a Design Professiona	I (unless disapproved by EPD ne Alternative BMP Guidance	or the Georgia Soil
		pplication to the Equivalent E trol in Georgia 2016 Edition.*	BMP List. Please refer to Appe	endix A-2 of the Manual
	• • • • • • • • • • • • • • • • • • • •		ed buffers adjacent to state w ote and delineate all areas of	•
41	Delineation of on-site wetlan	nds and all state waters locate	ed on and within 200 feet of the	ne project site.
42	Delineation and acreage of	contributing drainage basins	on the project site.	
43	Provide hydrology study and	I maps of drainage basins for	both the pre- and post-devel	oped conditions.*
_	An estimate of the runoff cocompleted.	efficient or peak discharge flo	ow of the site prior to and after	r construction activities are
45		elocities with appropriate outl all storm water discharge poin	et protection to accommodatents.	e discharges without
46	Soil series for the project site	e and their delineation.		
47	The limits of disturbance for	each phase of construction.		
•	retrofitted detention pond, an storage volume must be in pasite has been achieved. A vasediment basin is not attain sediment basin is not providalso be given. Worksheets storage design professional from sediment basins and in from the surface, unless infer	nd/or excavated inlet sedime place prior to and during all la vritten justfication explaining able must be included in the ded. A written justification as from the Manual included for to obtain the required sedime appoundments, permitees are	e per acre drained using a ter nt traps for each common dra and disturbance activities until the decision to use equivalent plan for each common drainate to why 67 cubic yards of storar structural BMPs and all calculated when using equivalent contraction at withdraw water from the substituted in the plan.	inage location. Sediment I final stabilization of the t controls when a age location in which a age is not attainable must ulations used by the introls. When discharging stures that withdraw water
	<del>-</del>		ent with and no less stringent coding symbols from the Manu	
	=	or all structural practices. Spe on and Sediment Control in C	ecifications must, at a minimu Georgia.	m, meet the guidelines se
	dates and seeding, fertilizer,	lime and mulching rates. Ve	nent vegetative practices. Inc egetative plan shall be site sp oriate geographic region of G	ecific for appropriate time

\*If using this checklist for a project that is less than 1 acre and not part of a common development

Effective January 1, 2017

but within 200 ft of a perennial stream the \* checklist items would be N/A.

Ground Slope

Flat 0 - 2%

Rolling 2 - 8%

Contour Intervals, ft.

0.5 or 1

1 or 2

Map Scale

1 inch = 100ft or

larger scale